

OCEANPRO

LONGLINE

PROFILE

TABLE OF CONTENTS

INTRODUCTION	02
OCEANPRO HOOKS	
Guide for fishing Hooks	04
Tuna Hook With Ring K-Series	05
Tuna Hook With Ring T-Series	06
Circle Hook With Ring	06
Tuna Circle Hook	07
Various Hooks	08
Swordfish Hooks	09
Big Game Hooks	10
Kirby & Roundbent Sea Hooks	11
CHEMICAL LIGHT STICKS	12
LOGLINE FISHING GEARS & GENERAL FISHING TACKLES	
Nylon Monofilament Fishing Line	14
Rope Branch Line	17
Snaps with Swivels	18
Wire leader & Wire Ropes	20
Crimps (Aluminum & Copper)	21
Fiber Ropes	22
Swivels	24
Line machine Rubbers	27
Light(Sea Light & Fishing, Solar)	28
Radio Buoys & Battery	29
Floats (EVA & Longline Float)	30
Imitation Bait	32
Working Wears	34
Tools	35

We are dedicated to providing marine professionals with the best gear, the best advice, the best price; for the best results.

We aim to be the best supplier to the marine industry in the South Pacific;

We guarantee absolute satisfaction to every customer in any transaction,
NO EXCEPTIONS

KINGSKIWI is committed to successful supply partnerships with all our customers.

We know that maintaining your competitive edge requires consistent improvement, innovation, and strong adaptation to market changes, developments and technology.


Experience has taught us that we can only grow if we help you to grow!

OCEANPRO FISHING HOOKS

Hook Guide Symbols

 Eye	 Ring	 Offset
 Straight	 Reverse	 Forged
 Regular	 Grinding	 Knife Edge
 Blacked	 Stainless Steel	 High Carbon
 Tinned	 Long Point	 Short Point

Hook Parts



How do you make Good Hooks?



Good
Material



Good
Processing



Good
Hardening



Good
Polishing

TUNA HOOK WITH RING

❖ K-SERIES



※ Actual Size



TUNA HOOK WITH RING

T-SERIES



※ Actual Size



CIRCLE HOOK WITH RING



※ Actual Size



FORGED TYPE



※ Actual Size



TUNA CIRCLE HOOK

❖ STAINLESS STEEL



※ Actual Size

20/0

18/0

14/0

15/0

16/0

❖ HIGH CARBON STEEL



※ Actual Size

20/0

16/0

16/0


OCEANPRO FISHING HOOKS

OCEANPRO CUSTOMISED HOOKS

❖ CIRCLE HOOK



❖ EZ BAIT HOOK



❖ MERO HOOK

(TOOTH FISH)



❖ HOOK WITH SWIVEL



❖ J-HOOK



❖ SHARK HOOK

Size : 1", 1 1/2", 2", 2 1/2"



SWORDFISH HOOK



※ Actual Size



12/0



10/0



9/0



8/0



7/0



6/0




5/0


BIG GAME HOOKS (CLOSED & OPEN TYPE)



① Close Type ② Open Type
※ Actual Size



KIRBY SEA HOOK



ROUNDBENT SEA HOOK



*Temptati♥n
too strong
to deny*



Pink




White



Blue



Yellow-Green





Monofilament
Mainline

Snap With Swivels

Branch Line
(Leader)



Swivel

Light Stick (4" or 6")



Wire or Mono



Tuna(Circle) Hook



Pink



White





Blue



Yellow-Green

OCEANPRO NYLON MONO MAIN LINE



8-BRAID SPEC.

Size No.(号)	Diameter	Length	Test
#50(1.17mm ×8)	5.0mm	900mtr	550kg
#60(1.28mm ×8)	5.4mm	800mtr	630kg
#70(1.39mm ×8)	5.8mm	700mtr	720kg

DOMESTIC SPEC.

Size No.(号)	Diameter	Test
350	3.10mm	415kg
380	3.25mm	430kg
400	3.30mm	440kg
450	3.50mm	500kg
500	3.60mm	520kg

STANDARD PACKING | 300m, 500m Coil

Size (mm)	Test (B/Strength)	
3.00mm	900 lbs	405kg
3.20mm	930 lbs	420kg
3.30mm	950 lbs	430kg
3.50mm	1,100 lbs	500kg
3.60mm	1,150 lbs	520kg
3.80mm	1,200 lbs	540kg
4.00mm	1,300 lbs	585kg

AVAILABLE SPOOL PACKAGE

Ordering Description	Quantity
25 lbs	11.3kg
50 lbs	22.7kg
3 nautical miles	5,556mtr
5miles	8,050mtr
5 nautical miles	9,260mtr
10,000mtr	10,000mtr
10 miles	16,100mtr
10 nautical miles	18,520mtr
25 nautical miles	46,300mtr
30 nautical miles	55,560mtr

*1 Mile : 1.61km / 1nautical mile : 1.852km

OCEANPRO NYLON MONO BRANCH LINE



COIL / HANK (White)



COIL / HANK (Blue)



25LB, 50LB SPOOL

► SUPER

INTERNATIONAL SIZE

Diamater	Test
1.60mm	330 lbs / 150kg
1.70mm	350 lbs / 160kg
1.80mm	400 lbs / 180kg
1.90mm	450 lbs / 200kg
2.00mm	500 lbs / 225kg
2.10mm	550 lbs / 250kg
2.20mm	600 lbs / 270kg
2.50mm	800 lbs / 360kg

ASIA 号数

No.(号)	Diameter	Test
100	1.65mm	150kg
110	1.73mm	160kg
120	1.81mm	180kg
130	1.88mm	200kg
150	2.02mm	225kg
180	2.21mm	270kg
200	2.34mm	300kg
230	2.50mm	360kg

► REGULAR

INTERNATIONAL SIZE

Diamater	Test
1.65mm	270 lbs / 120kg
1.80mm	300 lbs / 135kg
1.90mm	350 lbs / 160kg
2.00mm	400 lbs / 180kg
2.10mm	450 lbs / 200kg
2.20mm	500 lbs / 225kg
2.50mm	600 lbs / 270kg

ASIA 号数

No.(号)	Diameter	Test
100	1.65mm	120kg
110	1.73mm	130kg
120	1.81mm	135kg
130	1.88mm	160kg
150	2.02mm	180kg
180	2.21mm	225kg
200	2.34mm	250kg
230	2.50mm	270kg
250	2.60mm	300kg
280	2.76mm	350kg

PACKAGE

500m Coil / 1,000m Coil / 2,500m Spool / 5,000m Spool / 5LB Coil / 25LB Spool / 50LB Spool

OCEANPRO NYLON MONO FISHING LINE



100m Coil Connected

Size : 0.50mm~2.50mm
100m × 10 Coil Connected / 100m × 5 Coil Connected



RAINBOW (MULTI COLOR)

Combination#1 : Red+Yellow+Blue
Combination#2 : Red+Yellow+Green



SHORT LENGTH CUTTING
SQUIDE FISHING LINE



PLASTIC SPOOL PACKAGE

1LB, 2LB, 4LB, 5LB SPOOL
0.5KG, 1KG, 2KG SPOOL

OCEANPRO BRANCH LINE COMBINATION ROPE



BRANCH LINE (BLACK TARRED)

Diameter	Length
6.8mm	200mtr or 400mtr
7.0mm	200mtr or 400mtr
7.2mm	200mtr or 400mtr

BRANCH LINE (RED TARRED)

Diameter	Length
3.8mm	300mtr
4.0mm	300mtr
4.2mm	300mtr
4.5mm	300mtr
4.8mm	300mtr
5.5mm	300mtr



SEKIYAMA NYLON CORD

Diameter	Length	Weight	Breaking Strength
2.7mm	400mtr	4.0kg	240kg
3.0mm	400mtr	5.0kg	270kg
3.3mm	300mtr	4.3kg	360kg
3.5mm	300mtr	4.8kg	400kg
4.0mm	200mtr	7.6kg	450kg
4.5mm	100mtr	4.6kg	600kg



TETRON CORD

Diameter	Length	Breaking Strength
3.0mm	500mtr	200kg
3.3mm	500mtr	220kg


OCEANPRO STAINLESS STEEL SNAP WITH SWIVEL

※ 50% Size

❖ A-Snap & Swivel

SNAP SIZE


- 2.0mm × 80mm
- 2.6mm × 100mm
- 2.75mm × 115mm
- 3.0mm × 125mm
- 3.6mm × 125mm
- 3.75mm × 140mm



❖ A-Snap & Swivel

SNAP SIZE

- 2.0mm × 80mm
- 2.6mm × 100mm
- 2.75mm × 115mm
- 3.0mm × 125mm
- 3.6mm × 125mm
- 3.75mm × 140mm




OCEANPRO STAINLESS STEEL SNAP WITH SWIVEL

※50% Size

❖ 0mm L-Snap & Swivel


Nylon Mono Hanging



SNAP SIZE	
•2.0mm x80mm	•2.6mm x100mm
•3.0mm x125mm	•3.5mm x125mm

❖ L-Snap & Swivel


Rope Hanging




SNAP SIZE		
•2.0mm x80mm	•2.6mm x100mm	•3.0mm x125mm
•3.5mm x125mm	•4.0mm x140mm	

OCEANPRO WIRE LEADER
WIRE ROPE


(STAINLESS STEEL / GALVANIZED)




1×7




1×19



7×7



7×19



COATED

BREAKING STRENGTH (kg)

Size		SS 1 ×7	SS 1 ×19	SS 7 ×7	GALVA. 7 ×7	GALVA. 7 ×19
0.27mm		9	7	6		
0.30mm		11	10			
0.36mm		16	14	10.5		
0.40mm	1/64"	19	18			
0.45mm		25	22	16.5		
0.50mm~0.54mm		36	28	24		
0.60mm~0.63mm		43	40	33		27.5
0.70mm		57	55	43		
0.80mm	1/32"	78	70	54		42.5
0.90mm		95	90	66		62.5
1.00mm		120	110	80		80
1.20mm	3/64"	165	150	115		110
1.40mm				150		
1.50mm		210		190		220
1.60mm	1/16"			215	215	
1.80mm				260		
2.00mm	5/64"			330		330
2.40mm	3/32"			415	415	450
3.20mm	1/8"			765	765	900
4.00mm	5/32"			1170	1170	1260
4.80mm	3/16"			1665	1665	1890
6.40mm	1/4"			2745	2745	3150
8.00mm	5/16"			4050		4410
9.50mm	3/8"			5400		6480

※ COATING SIZE = WIRE SIZE + 0.2~0.4mm IN DIAMETER

CRIMP / SLEEVE



ALUMINUM CRIMPS SINGLE



ALUMINUM CRIMPS DOUBLE



ALUMINUM CRIMPS MINI



COPPER CRIMPS SINGLE




COPPER CRIMPS DOUBLE


ALUMINUM CRIMPS

(mm)


SINGLE	SIZE	ID	W	L	T
	LL	5.2	10.5	18	1.5
	L	4.2	8.5	18	1.3
	M	3.7	7.4	18	1.3
	A	3.3	7.0	18	1.3
	B	3.1	6.3	18	1.2
	BC	2.8	5.8	18	1.1
	C	2.6	5.2	18	1.1
	DC	2.4	4.8	18	1.1
	D	2.3	4.6	18	1.0
	E	2.0	4.2	18	1.0
	EF	1.8	3.8	18	1.0
	F	1.7	3.6	18	1.0
	G	1.5	3.3	18	0.8



DOUBLE	SIZE	ID	W	L	T
	1	4.5	9.7	20	1.8
	2	4.2	9.0	20	1.3
	3	3.5	7.3	20	1.3
	4	3.3	6.6	20	1.25
	5	2.3	5.4	18	1.1
	6	2.0	5.0	15	1.0




MINI	SIZE	ID	W	L	T
	LL	1.5	3.3	8	0.8
	L	1.3	3.0	8	0.8
	LM	1.2	2.7	8	0.8
	M	1.0	2.4	8	0.8
	S	0.8	1.8	8	0.8




COPPER CRIMPS

(mm)

SINGLE	SIZE	ID	W	L	T
	A	3.5	6.8	14	1.3
	B	3.1	6.3	14	1.2
	BC	2.8	5.8	14	1.1
	C	2.6	5.2	11	1.0
	D	2.3	4.8	11	1.0
	E	2.0	4.2	11	1.0
	F	1.7	3.6	10	0.8
	G	1.5	3.4	10	0.8
	H	1.3	3.0	10	0.8
	I	1.2	2.7	7	0.8
	J	1.0	2.0	7	0.8
	K	0.8	1.8	7	0.8







DOUBLE	SIZE	ID	W	L	T
	1	4.8	10.0	16	2.0
	2	4.2	9.0	14.5	2.0
	3	3.3	6.7	14	1.2
	4	2.8	6.3	14	1.2
	MDC 5	2.6	5.5	14	0.6
	MDC 6	2.3	5.0	14	0.6
	MDC 7	2.2	4.6	14	0.6
	MDC 8	1.9	4.2	14	0.6
	MDC 9	1.6	3.5	9.5	0.5
	MDC 10	1.3	3.0	7	0.5
	MDC 11	1.0	2.6	7	0.5
	MDC 12	0.8	1.8	5	0.3
	MDC 13	0.6	1.4	5	0.3



• More Sizes Available
Upon Request.

FIBRE ROPE




Specification

SIZE			P.P(Polypropylene) or MONO		P.E (Polyethylene)		NYLON ROPE		PET ROPE	
DIAMETER		CIRC								
mm	Inch	Cir Inch	kg (WT /coil)	tensile Strength(t)	kg (WT /coil)	tensile Strength(t)	kg (WT /coil)	tensile Strength(t)	kg (WT /coil)	tensile Strength(t)
3	1/8	3/8	0.85	0.15	0.94	0.11	1.14	0.21	-	-
4	5/32	4/1	1.50	0.28	1.70	0.14	1.94	0.33	2.47	0.30
5	3/16	5/8	2.35	0.44	2.72	0.27	3.00	0.50	3.86	0.40
6	1/4	3/4	3.50	0.61	3.75	0.40	4.43	0.75	5.56	0.56
7	9/32	7/8	4.75	0.84	4.60	0.51	6.00	1.02	7.57	0.77
8	5/16	1	6.20	1.10	6.40	0.70	7.75	1.35	9.88	1.02
9	3/8	1-1/8	7.80	1.20	8.30	0.81	9.80	1.70	12.50	1.27
10	13/32	1-1/4	9.60	1.56	10.30	1.09	12.10	2.08	15.40	1.59
12	15/32	1-1/2	13.90	2.21	15.20	1.54	17.60	3.00	22.20	2.27
14	9/16	1-3/4	18.80	3.05	20.40	2.09	23.90	4.10	30.30	3.18
16	5/8	2	24.20	3.77	26.40	2.80	31.00	5.30	39.50	4.10
18	3/4	2-1/4	30.80	4.82	33.70	3.50	38.90	6.70	50.00	5.10
20	13/16	2-1/2	38.00	5.80	41.60	4.30	48.00	8.30	61.80	6.30
22	7/8	2-3/4	46.00	6.96	50.50	5.10	57.90	10.00	74.70	7.60
24	15/16	3	54.70	8.13	59.80	6.10	69.50	12.00	88.90	9.10
26	1-1/32	3-1/4	63.80	9.40	70.70	7.05	81.30	13.90	104.00	10.60
28	1-1/8	3-1/2	73.60	10.70	78.00	8.00	94.00	15.80	121.00	12.20
30	1-3/16	3-3/4	85.20	12.20	93.20	9.20	108.00	17.90	139.00	13.90
32	1-1/4	4	96.70	13.40	107.00	10.40	123.00	20.00	158.00	15.70
34	1-11/32	4-1/4	110.00	15.20	120.00	11.00	139.00	21.60	178.00	17.50
36	1-7/16	4-1/2	122.00	16.90	135.00	12.00	155.00	23.90	200.00	19.30
38	1-1/2	4-3/4	135.00	18.70	150.00	13.40	174.00	26.30	223.00	21.60
40	1-19/32	5	152.00	20.50	166.00	15.60	191.00	30.00	247.00	23.90
42	1-21/32	5-1/4	167.00	22.50	183.00	16.00	213.00	32.70	272.00	26.10
45	1-25/32	5-5/8	191.00	24.60	209.00	18.80	244.00	37.20	213.00	29.80
48	1-7/8	6	218.20	28.60	232.00	22.40	277.00	42.00	350.00	33.50
50	2	6-1/4	236.00	30.80	258.00	26.00	302.00	49.00	386.00	36.30
55	2-5/32	6-7/8	286.00	37.85	314.00	30.20	367.00	56.00	467.00	42.80
60	2-3/32	7-1/2	340.00	43.26	373.00	34.00	438.00	64.00	556.00	49.80
65	2-9/16	8-1/8	399.00	48.98	440.00	38.60	513.00	72.00	652.00	59.00
70	2-3/4	8-11/16	463.00	61.50	509.00	43.00	596.00	74.30	757.00	68.10
75	2-31/32	9-1/4	531.00	68.55	583.00	48.50	683.00	92.10	869.00	78.20
80	3-5/32	10	605.00	75.60	663.00	50.00	777.00	110.00	988.00	88.40

※ Manufactured and tested according to ISO and BS standards.
※ Warning : The minimum breaking strength should never be considered as the safe working load of the rope.

8-STRAND MOORING ROPE SPECIFICATION



Specification

SIZE			P.P JIN ROPE		NYLON ROPE		POLYESTER ROPE	
DIAMETER		CIRC						
mm	Inch	Cir Inch	WT (100M)	B/S (M/t)	WT (100M)	B/S (M/t)	WT (100M)	B/S (M/t)
40	1-9/16	5	71.5	20.5	99	34	121	32.5
44	1-3/4	5-1/2	88	24.6	120	40.5	147	38.8
48	1-7/8	6	102.5	28.6	142	47.5	175	46.1
50	2	6-1/4	113	30.8	153.5	51.3	189.5	49.9
52	2-1/16	6-1/2	122	33	166	55	205	54
56	2-1/4	7	140	37.8	193	62.5	238	62.8
60	2-3/8	7-1/2	163	43.2	221	70.5	273	73.2
64	2-1/2	8	185	48.9	252	80	311	83
68	2-11/16	8-1/2	209	54.8	285	90	351	93
70	2-3/4	8-11/16	220	58.1	302	95	371.5	98
72	2-7/8	9	231	61.4	319	100	393	103
75	3	9-1/4	254	68.5	346	108	426.3	111
80	3-5/32	10	282	75.6	394	123	485	127
85	3-3/8	10-1/2	327.5	83.5	445	138	548	143
88	3-7/16	11	351	90.7	477	145	587	152
90	3-9/16	11-1/8	367	94.8	499	151	614	158
95	3-3/4	11-3/4	408.5	101	556	168	685	176
96	3-13/16	12	417	107	568	170	699	181
100	3-15/16	12-3/8	452.5	115	616	184	758	196
104	4-1/8	13	490	122.8	666	200	820	209
112	4-7/16	14	570	141.7	772	210	950	243
120	4-3/4	15	650	162.7	887	255	1090	278

※ Manufactured and tested according to ISO and BS standards.

※ Warning : The minimum breaking strength should never be considered as the safe working load of the rope.

OCEANPRO SWIVELS


❖ **BRASS BARREL SWIVEL** | Polished, Nicketed, Blacked

※Actual Size




❖ **CRANE SWIVEL** | Brass / Ring only Stainless steel | Polished, Nicketed, Blacked

※Actual Size



❖ **ROLLING SWIVEL** (Plain Body / Round Eye) | Polished, Nicketed, Blacked

※Actual Size



OCEANPRO SWIVELS

❖ BOX SWIVEL

※Actual Size



❖ LEAD SWIVEL

Size : 38, 45, 60, 80, 100gram
※Actual Size



❖ 8-TYPE SWIVEL

Size : 2S, 3S, 4S
※Actual Size



❖ BALL BEARING SWIVEL

Size : #1~#10



❖ HEAVY DUTY (BULLET) SWIVEL

Size : 4, 5, 6, 7, 8, 9, 10.5, 12mm



❖ BL SWIVEL


Size : S, M, L
※Actual Size



OCEANPRO SWIVELS


❖ OYAKU COMBINATION SWIVEL ※ Actual Size

Size : •5×6 •4×5 •3×4 •2×3
•1×2 •1/0×1 •2/0×1/0
•3/0×2/0 •4/0×3/0
•5/0×4/0 •6/0×5/0
•7/0×6/0



❖ BRAN SWIVEL ※Actual Size

Size : •1.2mm×5 •1.6mm×4 •1.7mm×3 •1.8mm×2
•2.1mm×1 •2.3mm×1/0 •2.3mm×2/0
•2.5mm×2/0 •3.3mm×3/0
•3.8mm×4/0 •4.2mm×5/0
•4.8mm×6/0



❖ 3-WAY SWIVEL ※Actual Size

Size : •10 •9 •8 •7 •6 •5 •4 •3 •2 •1 •1/0 •2/0 •3/0



❖ CROSS LINE SWIVEL ※Actual Size

Size : •10 •8 •6 •5 •4 •3 •2 •1 •1/0 •2/0 •3/0 •4/0 •5/0



❖ CRANE SWIVEL +SAFETY SNAP



Size
•8×0 •6×1
•5×2 •4×2
•3×3 •2×4
•1×4 •1/0×5
•2/0×5 •3/0×6
•4/0×6 •5/0×6

※Actual Size


❖ CRANE SWIVEL +INTERLOCK SNAP



Size
•8×1 •6×1
•5×2 •4×2
•3×3 •2×4
•1×4 •1/0×5
•2/0×5 •3/0×6
•4/0×6 •5/0×6

※Actual Size


❖ BARREL SWIVEL +SAFETY SNAP



Size
•16×0 •14×1
•12×1 •10×2
•8×2 •7×3
•6×3 •5×3
•4×4 •3×4
•2×4 •1×5
•1/0×5 •2/0×5
•3/0×6 •4/0×6
•5/0×6

※Actual Size

❖ BARREL SWIVEL +INTERLOCK SNAP



Size
•16×1 •14×1
•12×1 •10×2
•8×2 •7×3
•6×3 •5×3
•4×4 •3×4
•2×4 •1×5
•1/0×5 •2/0×5
•3/0×6 •4/0×6
•5/0×6

※Actual Size

LINE HAULER RUBBERS

◆ LINE HAULER RUBBER PARTS



1 Line hauler rubber 28A(large)



2 Line hauler rubber 28B(small)



3 Line hauler rubber 4B



4 Line hauler rubber 18A(large)



5 Line hauler rubber 18B(small)

◆ LINE THROWER RUBBER PARTS 下



6 Line thrower rubber 4A(large)



7 Line thrower rubber 4B(small)



8 Line thrower rubber (SE-160)



9 Line thrower rubber (B-type)



10 Line thrower rubber No.219(small)

◆ LINE ACE RUBBER PARTS 盘线机用



11 Line ace rubber 2A(large)



12 Line ace rubber 2B(small)



13 Line ace rubber 6A(large)



14 Line ace rubber (SE-160)



15 Line ace rubber (B-type)



16 Line ace rubber No.219(small)

◆ LINE SETTER RUBBER PARTS



17 Line setter rubber band(LS-4,5)



18 Line setter rubber band(LS-3)



19 Line setter rubber wheel(LS-3,4)



20 Line setter rubber wheel(LS-5)



21 Line setter rubber O-ring

◆ LINE SPRING RUBBER PARTS



22 Line ace spring rubber (small)



23 Line thrower spring rubber (medium)



24 Line hauler spring rubber (large)

OCEANPRO LIGHTS

FISHING LIGHT 集魚燈



MODEL	DYP-100	DYP-200
Type	Flash On	Flash On
Operation	Water Activated	Manual On/Off
Size	120 ×43mm	120 ×43mm
Weight	160g(with Battery)	150g(With Battery)
Material	Polycarbonate	Polycarbonate
Lamp	3 LED Lamp	2 LED Lamp
Lamp Color	Green, Blue, Red, White, Amber & Disco	Green, Blue, Red, White, Amber & Disco
Power	3V(AA size × 2ea)	3V(AA size × 2ea)
Battery Life	720Hr(Green Basis)	720Hr(Green Basis)
Waterproof	Max 700m	Max 700m

DYP LIGHT WITH DISCO

- STANDARD COLOR COMBINATION : RED + GREEN + BLUE

SEA LIGHT



Model	Size	Weight	Visibility	Power	Battery Life	Flash Rate	Waterproof
DYX-1	133 ×51mm	100g	4km	1.5V(D Size 1ea)	150hr	1.5sec	80m
DLD-1	146 ×50mm	120g	5.4km	6V(1.5 AA 4ea)	180~200hr	2sec	100mtr
DYX-285	260 ×56mm	280g	6km	3V(D Size 2ea)	240hr	2.5sec	100m
CH2000B	129 ×48mm	110g	4km	6V(AA Size 4ea)	200hr	1.5sec	50m
CH101	204 ×53mm	220g	4km	1.5V(D 1ea)	200hr	1.5sec	50m
CH201	280 ×53mm	250g	4km	3V(D 2ea)	200hr	1.5sec	50m
CH200-1	128 ×52mm	100g	4km	1.5V(D 1ea)	200hr	1.5sec	30m

SOLAR LIGHT



Model	Size	Visibility	Color	Flash Rate	Waterproof
CH 1	153 ×48mm	2km	Green, Red, White, Amber	0.5sec(on), 3.5sec(off)	10m
CH 904	71 ×71 ×135mm	3km	Red, Amber	0.5sec(on), 3.5sec(off)	10m
LED EV	177 ×177 ×185mm	2~3Miles (Depending on color)	Green, Red, White, Amber	0.5sec(on), 3.5sec(off)	10m

RADIO BUOY

RADIO BUOY & SEL- CALL RADIO BUOY

MODEL	RADIO-BUOY Model : PR-30	SEL-CALL RADIO BUOY Model : PRSC-30
Transmitter Frequency	1606.5kHz ~ 2850kHz	1606.5kHz ~ 2850kHz
Type of Emission	A1A	A1A
Antenna Power	3W + 20%	3W + 20%
Code	As Stipulated(Max. 4 Letters)	As Stipulated(Max. 4 Letters)
Service Range	50 ~ 150km	50 ~ 150km
Frequency Deviation	Within ±200 ×106	Within ±200 ×106
Band Width Allotment	Within 0.5kHz	Within 0.5kHz
Receiving Sensitivity		10μV/1M, SN 3dB
Receiving Frequency		2331.5khz or 1902.5khz
Battery Type	DC 24V Packed Bbattery or Battery Case(32pcs D Size Battery)	DC 24V Packed Battery or battery Case(32pcs D Size Battery)
Battery Life	720Hr	7,200Hr
Pressure Durability	20atm. Pressures	20atm. Pressures
Gross Weight	22kgs(with Battery)	22kgs(with Battery)
Material of Drum Shell	Stainless Steel(SUS304)	Stainless Steel(SUS304)



RADIO BUOY

The RADIO BUOY is a device that was developed to improve the efficiency of the fishing industry and to prevent washing away of fishing net. An electrical wave emit by the Radio Buoy fastened to fishing net is received by direction finder of the ship, which indicates the direction of Radio Buoy.

SEL-CALL BUOY

The SEL-CALL RADIO BUOY consists of Radio Buoy with a receiver installed in it, and it answers only when it is called by its own ship. For this reason, we can save battery power a lot. And when the operation area is entered by other ships, the theft of nets and fishing gear is prevented.

RADIO BUOY BATTERY



CAN-S



CAN-SS



DC18V




BTC-1



BTC-2

MODEL	CAN-S	CAN-SS	DC18V	BTC-1	BTC-2
Power	DC 24V	DC 24V	DC 18V	DC 24V	DC 24V
Type	Soild Packed Battery			Battery Case 32pcs of Size Battery	
Case Material	ABS RESIN				
Usage	DONGYANG, RYOKUSEI, SEA STAR, NEW STAR, SHINWON, KS	TAIYO OHNO	SEA STAR NEW STAR	DONGYANG, RYOKUSEI, SEA STAR, NEW STAR, SHINWON, KS	OHNO TAIYO
Weight	5.5KG	5.5KG	4.5KG	1.5KG	1.5KG

E.V.A FLOATS



Article Number	Specification(±)5%			Contents in 20FT Container	Color
	L×OD×HD (mm)	WT (g)	Buoyancy (g)		
SHE-105	320×295×70	2150	15,000	-	Yellow
SHE-100	285×260×50	1514	10,000	1,344pcs	Yellow
SHE-85	265×248×48	1314	8,500	1,632pcs	Yellow
SHE-70	250×220×42	1000	7,000	2,340pcs	Yellow
SHE-60	240×215×42	874	6,000	2,650pcs	Yellow
SHE-50	225×202×40	786	5,000	3,000pcs	Yellow
SHE-40	208×185×37	585	3,800	4,032pcs	Yellow
SHE-30	190×158×33	447	2,980	5,880pcs	Yellow
SHE-25	180×147×28	350	2,400	7,200pcs	Yellow
SHE-20	178×135×28	265	1,680	8,040pcs	Yellow
SHE-15	160×125×28	235	1,500	10,800pcs	Yellow
SHE-10	170×110×20	180	950	13,200pcs	Yellow/White
SHE-6	146×94×20	93	616	22,200pcs	Yellow/White
SHE-3	101×78×20	46	300	44,400pcs	Yellow/White
SS-5	155×110×25	170	1,100	13,200pcs	Yellow/White
SS-3	103×110×25	140	920	13,200pcs	Yellow/White
SHBB-2	356×178×25	900	5,700	-	Yellow/White
SHBB-1	356×153×25	600	5,000	-	Yellow/White
SH-25E	50×105×18	48	310	44,100pcs	Yellow/White/Brown
SH-20E	48×90×18	33	200	60,000pcs	Yellow/White/Brown
SH-15E	45×80×16	25	150	85,000pcs	Yellow/White/Brown
SH-10E	40×70×12	20	130	120,000pcs	Yellow/White/Brown
SE-5	98×63×10	30	230	-	Yellow
SHY-17	106×65×13	65	200	354,000pcs	Brown
SEW-17	94×63×16	70	135	354,000pcs	Dark Green
YE-3	60×35×9	12	55	354,000pcs	Yellow/White/Brown

FLOATS



ONE LUG / EYE



TWO LUG / EYE



SCREW TYPE



NO-Rib TYPE

※ SIZE : 240mm, 300mm, 330mm, 360mm



POLYFORM INFLATABLE BUOY

Item	Size Dia × Length	Eye Diameter	Circumference	Buoyancy Ratings
A-0	230 × 290mm	16mm	722mm	6.0kg
A-1	290 × 370mm	25mm	911mm	13.0kg
A-2	390 × 490mm	25mm	1,225mm	31.0kg
A-3	470 × 590mm	25mm	1,476mm	55.0kg
A-4	550 × 710mm	25mm	1,727mm	85.0kg
A-5	700 × 920mm	30mm	2,198mm	179.6kg
A-6	860 × 1,180mm	38mm	2,700mm	359.2kg
A-7	1,050 × 1,380mm	50mm	3,297mm	610.1kg




E.V.A Fender of Assembly Type

Article Number	Specification(±)5%		
	Length	WT (g)	Buoyancy (g)
SAF-25(A)	109cm	28.5cm	SHE-25 4 × 6
SAF-25(B)	80cm	28.5cm	SHE-25 4 × 5
SAF-30	96cm	31cm	SHE-30 4 × 5
SAF-40	100cm	34.5cm	SHE-40 4 × 5
SAF-50	113cm	40cm	SHE-50 4 × 5
SAF-70	95cm	44cm	SHE-70 4 × 4
SAF-85	101cm	46.5cm	SHE-85 4 × 4


SQUID IMITATION BAIT

BIG SIZE FOR TUNA FISHING BAIT



SMALL SIZE SQUID BAIT

Available Size :
3.5"~12"



OCTOPUS SKIRTS LURE



LONGLINE FISHING ACCESSORIES

❖ LIGHT SLEEVE

Size : •5cm(2")
•8cm(3")



❖ LUMINOUS THIMBLE



❖ LUMINOUS BEAD

Size : •5×8mm •6×10mm
•7×11mm •10×18mm




❖ STAINLESS STEEL THIMBLE



❖ LEAD SINKER



❖ ARMOUR SPRING



❖ PINK LINE




❖ BRAIDED TUBE

Size : 1.2~4.0mm



❖ REFLECTION TAPE



❖ TUBE

CLEAR /
LUMINOUS

Size :
1.3~5.0mm



CUTTING TOOLS

❖ S/S MONO CUTTER



❖ WIRE CUTTER



❖ S/S SCISSORS
JAPAN ORIGIN



❖ STEEL SCISSORS



DECK HARDWARES

❖ SHACKLE



❖ SWIVEL



❖ THIMBLE



❖ CLAMP



OCEANPRO FISHING EQUIPMENTS

WORKING TOOLS

❖ BRAIN KILLER PIPE



❖ BRAIN KILLER SPIKE



❖ ROPE SPIKE



❖ ROPE BRAIDING SPIKE



❖ WOOD SPIKE



❖ SHOVEL



❖ CASE



❖ DECK BRUSH



❖ BRUSH



❖ DECK KNIFE (LARGE)



❖ DECK KNIFE (SMALL)



❖ SHARPENING STONE



CRIMPING TOOLS

❖ #1000 TOOL



TIP	Hole Size	Sleeve Size
A	7.0mm	4.2mm
B	5.7mm	3.2mm
BC	5.0mm	2.8mm
C	4.6mm	2.6mm
D	4.3mm	2.3mm
E	3.9mm	2.0mm
F	3.6mm	1.7mm
G	3.3mm	1.5mm
W	2.9mm	1.2mm

❖ #2000 TOOL(Steel)



TIP	Hole Size	Sleeve Size
1.8	2.8mm	1.8mm
2.0	3.3mm	2.0mm
2.3	3.9mm	2.3mm
2.8	4.6mm	2.8mm
3.3	5.8mm	3.3mm

❖ #3000 SS TOOL (Stainless Steel)



TIP	Hole Size	Sleeve Size
E	2.8mm	2.0mm
D	3.3mm	2.3mm
C	3.9mm	2.6mm
B	4.6mm	3.1mm
A	5.8mm	3.3mm

❖ TWO HAND CRIMPER

Hold Size :
1/32", 3/64", 1/16", 3/32", 1/8"



❖ ONE HAND CRIMPER

Hold Size :
0.1~0.5mm, 0.5~1.0mm, 1.0~2.0mm, 2.2mm




WORKING TOOLS

❖ S/S STICK HEAD



❖ BAMBOO POLE



❖ S/S TUNA MISSILE



❖ Spare Hooks



❖ HARPOON (LARGE)



❖ HARPOON (SMALL)



❖ SHARK SEARS



❖ FISH HOOK

• 10mm • 20mm



❖ HAMMER

Small, Medium
Large



❖ HAND HOOK

• 30cm(1")
• 60cm(2")
• 90cm(3")




❖ SUBARU



❖ HAYASUKE



Contact us?



**KINGSKIWI INTERNATIONAL
PO BOX 6053
BROOKFIELD 3146
TAURANGA NZ**

**www.kingskiwi.co.nz
www.mses.co.nz**

**kingskiwi@kingskiwi.co.nz
admin@kingskiwi.co.nz**

**Glen Cleary
Executive Director
glen@kingskiwi.co.nz**

"Always at YOUR Service"